




RH > Ö4q

RH 'Ì- (v5>-¬; -À@Z@Z< 0








4

DZ













B-?±,x>=]



.z=™=™D



.z,b> ?!



+^Dô@š(



@#-%XJN2ô •6× 3 ?L† ¢ .
SHANGHAI HANBELL PRECISE MACHINERY LTD.
+yD Û:p/ ;11':^9 - N C"E- .L5 8289/&
TEL 021-57350280 FAX 021-51368588
Ô = C4† Ö 4007702158
FP5F Ö 201501
http Ö//www.hanbell.com.cn

0°6°,÷L;ß
+yD Û0°6°;1)Ä9 9 B 9 5 6°,/ 2222/&4K, U.i.:0«8TA -¼ 4/&5
+^/Ñ ÉTEIÄ 0531-85060075 *CEC† ÉAXÄ 0531-85060071
6°2°,÷L;ß
+yD Û6°2°;11N6ß9 2Ë,Ä9 -„AÄ5 1001/&4K, U.i.:0«8TA -¼ 6,
+^/Ñ ÉTEIÄ 025--52078091/1/3 *CEC† ÉAXÄ 025-52078090
„D>,÷L;ß
„D>;1,|É•9 ; 0 C">%(€*Æ>%205 4K⇒.EA B' 15 /&)Ë,à
+^/Ñ ÉTEIÄ 020-34721075 *CEC† ÉAXÄ 020-3472325
D99 ,÷L;ß
D99 ;16°—9)IB'7E9 B 5N5 18 /&6» F 9ß5 1-1
+^/Ñ ÉTEIÄ 023-62611068 *CEC† ÉAXÄ 023-62611069