



emily_huai@hanbell.com.cn
ir@hanbell.com.cn

021-51365368

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10. " "
- 11. " " : 2015
- 12. 2015 520
- 13.
- 14.

50%

- 1.
- 2.
- 3.
- 4.
- 5.
- 6. 2011

9%

7. 2011

8.

9.

10.

1.

2.

3.

4.

5.

6.

7. 2010

8. H&M

9.

1. 10 14

2.

3.

4.

5.

6.

7. 10 28 (4)

8.

9.

2010

20%

)

" "

(

2009

4

http://www.china-ics.cn/html/2010-10-27/251_7212.html Top

2

" "

| | 2010 | 2009 | 2010 | 2009 |
|--------|------|------|-------|------|
| 31.45% | | 8 | 7 | |
| | | 2010 | 8 | |
| 29.5% | 9 | 683 | 40.3% | 447 |
| | 7 | 15 | | |
| | | 8 | | |
| | | 8 | | |

5

3

http://www.china-ics.cn/html/2010-10-28/251_7262.html Top

3

60%

"

"

"

"

"

10%

"

"

"

"

"

http://www.china-ics.cn/html/2010-10-29/251_7385.html Top

4

20° C-26° C

24

" "

20° C-26° C

24

" "

?

100 /

100

40%

30-50%

40%

60%

40%

http://www.china-ics.cn/html/2010-10-25/433_6941.html Top

5

" "

1800 " "

600 2010 3500

2008 358 " " 69

168 121 9 ; 4

3

" "

" "

200 26.7% 168

20

1600

2006 9 29 " "

2006

11 11 "

" () 312

2008 1600

1000 600 2008

2900 2010 6500

32.5%

;

;

;

B3/01

4

3000

30%

15%-20%

800

;

900

2006

9

60

" "

2003

197
67 51 26
80%
65%

http://www.china-ics.cn/html/2010-09-20/433_4557.html Top

6

;

;

"

' ' ()

"

' "

"

" ?

?

2500 6000

5% ; 2000 1000

20% ; 4000 150 7%

; 1500 800 30%

; 4400 4%

2 6

4

?

" "

10-20

5-10

2000

"

—

" "

"

"

;

;

" "

"

...

"

;

"

"

http://www.china-ics.cn/html/2010-09-29/441_5249.html Top

7

11

5

1/3

30%

95%

6%

3%

<http://www.chinesevacuum.com/ShowArticle.aspx?id=34301&pid=39> Top

8

8 16

9 15
25 3 220
8 3 2011
6 2011
2009 9

TFT-LCD()

(" ") 27

3 0.5mm

4

"

"

17%

<http://www.chinesevacuum.com/ShowArticle.aspx?id=34125&pid=39> Top

9

8

12

/

3000

6000

8000

| | | | | | | | | | |
|---|------|-----|----|------|------|------|-----|----|------|
| | | 400 | | 500 | | | | | |
| | | | | | | " | " | | |
| | | | | | | | | | 2009 |
| 5 | 5 | | | | | | | | |
| | | | | 1000 | 8 | | | | |
| | | 20 | 10 | | 2.49 | 2010 | 5 | 21 | |
| | 2010 | 12 | | | | | | | |
| | | | 20 | 5.51 | | | | | |
| | | | 4 | | | | 16 | | |
| | 36 | | | | | | | | |
| " | | | | 1.6 | | | | | 2 |
| | | | | | | 30% | 50% | | |
| | | | | | " | | | | |

4

Gary Bri dge

5-10

75%

6

"

" Gary Bri dge

"

"

<http://www.chinesevacuum.com/ShowArticle.aspx?id=34315&pid=39> Top

12 2015

520

5

8%

2015

520

5

5%

2015

5300

40%

2014

24%

5

(000651,) (000651,)

R290

R290

R290

R290

R290

R290

R290

2011

M

“ ”

2010-2015

http://www.semi.org.cn/pv/news_show.aspx?ID=7782&classified=12 Top

1

6 100

2009

2010 4 950

2010 7

2008 8380

2010 9000

2009 8

2009

2010

800

2010

1300

2006

07

2010

40

1100

2000

2009

30%

600

1100

2010

600

280

2009

2010

2011

2009

2010

5%—10%

2009 6

2010 3

R410A

30

40

50%

2009

300

2010

500

2010

| | | | | | | | |
|------|--------------------|------|----------|----------|------|------|----------|
| 15 | 2010 | | | | 2 | | |
| | | | | 2010 | 2 | | 2009 |
| | | | | | | 2010 | |
| | | 2008 | | 2010 | | 20 | |
| | | | | | | | |
| 2009 | | | | 180 | | 80 | 2 |
| | | | | | 50 | | |
| 1/10 | | 2009 | | | | | |
| 20 | 2010 | | | | | | |
| | | | | | 2010 | | 2010 |
| | | 10 | | | | | |
| 2009 | 43, 200 | 1/3 | 29- 72KW | 20 | | 72KW | |
| | 13 | 22 | | | | | |
| | | | | | | | 2009 |
| | | | | 20 | 2010 | | |
| | | 5 | | | | | |
| 2010 | | | | | | | |
| | | | | | 2010 | | |
| | 2010 | | | | | | |
| 2009 | | | | 110, 000 | | 50KW | |
| | | | 50, 000 | 50KW | | | |
| | | | 12, 000 | 700KW | | | |
| | | | 2700 | | | 2000 | |
| | water - to - water | | | | | | to water |

air-towater

2010

0

5

2009

80

EM

75

90

JARN 2010 9

Top

3

10 17 " ' ' "

"

"

"

10 17 " ' ' "

"

"

"

100

3 3-3 5

" , " "

200 , 26.7% 168

800
900
2006
9 60

"

"

"


"

"

"

⊕ _

http://www.china-ics.cn/html/2010-10-21/441_6829.html [Top](#)



2011

9%

2010

100

1700

”

”

<http://www.chinaoil.com/html/article/2010-11/165088.asp?hy=3>

Top

7 2011

" "

2011

-

2011

<http://www.chinaoil.com/html/article/2010-10/164247.asp?hy=3>

Top

8

| | | | | | |
|------|------|-----|---------|--|------|
| | 900 | | 2200 | | 33 |
| 2009 | | | 7 | | 2500 |
| 520 | ; | 500 | (500) | | |
| 2 (| |) | 250 | | 900 |
| | 2200 | | 33 | | |

10

28%

30%

"


"

21

2009

http://www.china-ics.cn/html/2010-10-15/441_6354.html Top

9



Chi tkara “

”

http://www.semi.org.cn/news/news_show.aspx?ID=26126&classid=117 Top

10

2008

.....

“ ”

“

”

“ ”

| | |
|-----------|----------|
| 500 | 700-1000 |
| 1000-2000 | 3000 |

" " " "

" " "

" "

“ ”

35%

2010 10

Top

1

.....

108

.....

108

1

28

252

100

R290

R134a CDP 0

70

15

380% 600%

1/4

100% 150%

5%

R410A

R290

"

"

R290

VDE

VDE

R290

3.6

R22()

15%

A

1-8 80% 8-10
110% ,
, ,
10 18 93759 (106
) 6.91% 8.3% 10
17 77.1 16.7% 9
http://www.china-ics.cn/html/2010-10-21/255_6828.html [Top](#)

2

CW- [V]

CW- [V]

CW- [V]

13

40

R410A

100KW

()

6 RFW65/T-PM ()
15 RFW65/T-PM

http://www.china-ics.cn/html/2010-10-21/255_6809.html

[Top](#)

3

" " 1993

F

RFW

2

6

"

"

20

"

"

A

http://www.china-ics.cn/html/2010-10-12/255_5907.html

[Top](#)

4

"

"

"

"

40%

HX

"

"

49.7%

190
HX
5.2

COP 6.06 I PLV 7.05

" "

HEEP

7.0 40%

" "

2010 " "

" "

" "

80% 90%

"

"

http://www.china-ics.cn/html/2010-10-28/255_7333.html

[Top](#)

5

17.85

6

10 15

800

2004

<http://www.chinaoil.com/html/article/2010-9/162655.asp?hy=52> [Top](#)

7 2010

9 10

"

---2010

"

200

60

1994

3

5

85

(BI TZER)

COOLEST ()

()

<http://www.chinaoil.com/html/article/2010-9/163347.asp?hy=52> Top

8

H&M

2010 10 14

H&M

0

13616417556

0531-83687276

<http://www.chinaoil.com/html/article/2010-11/165278.asp?hy=3> [Top](#)

1 10 14

2010-10-14

.....

- 002154 ,
- 002155 ,
- 002156 ,
- 002157 ,
- 002158 ,
- 002159 ,
- 002160 ,
- 002161 ,
- 002162 ,
- 002163 ,

.....

<http://www.cnstock.com/index/gd/bb/201010/919218.htm> [Top](#)

2

2010-10-18

10 12 , A 814 , 614
814 75.43%

, 10

:

: , 50%

(600071,) *ST 100% 110% ;

) (002123,) (000862,) (002169,)

:

,

,

,

:

(002099,) (002020,) (002007,) *ST

(002399,) (600252,) (000423,) (002294,)

100%

,

,

(000538,) (002412,) (002118,)

:

“ ” “ ”

,

(002304,) (600519,) A

,

,

(000596,) (002220,) *ST

, *ST 16000

:

:

,

(002041,) (000713,)

(000893,) (002234,)

175%

: 96 , 38

(600160,) (000049,) (002080,

) (002167,) (000973,) (600458,)

“ ” 1500%

:

10 8

18, 2010 11 7 45.54
 (600188,
) (002128,) (600348,) (600508,)
 50%
 :
 , 2010
 3000, 2009 2280 31.5%
 (600584,)
 (600654,) (000636,) (002141,)
 (002189,) (002008,) (600460,)
 (002241,) (002156,) (002129,) A
 (002106,) (002056,) (002079,)
 (002185,) (002138,) (300111,) (300115,
) (300077,) (600563,) (002119,
)
 (310358,
) LED
 (300088,) (300039,
) (002367,) (002308,)

<http://stock.hexun.com/2010-10-16/125146085.html> [Top](#)

3

2010-10-20

8

5

| | | |
|------|------|---------------|
| | 5 | 5 |
| | 3-5 | 4,000 - 4,800 |
| 2020 | 1.6 | |
| | C919 | |

F&G

PE 20

" "

10 18

5

3-5

4000 ~4800

2015

79

2300

8820

F&G



| | | | | | |
|--------|--|--------|--------|-------|---------|
| 600756 | | 10. 65 | 176489 | 81215 | 117. 31 |
| 002158 | | 14. 12 | 25245 | 11750 | 114. 85 |

9

2010-10-24

http://www.microbell.com/upfile/2010_10/20101024111916818.pdf [Top](#)